

ABG 8

Motor : Briggs&Stratton
Alternatör : Mecc Alte
Kontrol Sistemi : P 70



ISO8528

6i 'YbYfUht f [fi Vi 'GC,) & 'm bYha Y] UfhUfibi_Uf iUntUWU_gYj JnYXY fUgUfUba i hif"

SZUTEST

6i 'YbYfUht f [fi Vi 'GC - \$\$%gYfhZ_U" nY" _Yf]bY [" fY fUgUfUba i 'j Y" fYh'a] hf"

CE

6i 'YbYfUht f [fi Vi '79'gYfhZ_U UfhUfibiU'i m i bXmf

2000/14/EC

GYG'mU'ih'a _UV]b] [fi d'Ufz&\$\$S#/(#7'5j fi dU [" f' h' m bYha Y]]bY [" fY fYghYX]]f"

• ; , 'Yfz' !: Uniz) \$<nz; : '\$z

Voltaj	Standby Güç (ESP)		Prime Güç (PRP)		
	kVA	kW	kVA	kW	Amp
400/230	8.00	6.40	6.00	4.80	8.00

Standby Güç (ESP): ; 'j Yb]f' VVY_Y' _UnbU 'ibib_Yg]a Yg]Xi fi a i bXUzXY] _Yb_Y_Y_hf_]m_Y [, 'fYa]b_Yha YXY_j 'Ubrif"9GDz-GC,) & 'Y i mi a 'i Xi f"5 ifi m_Ya YnY]n]b j Yf]a Ya] hf"

Prime Güç (PRP): 8Y] _Yb_Y_Y_hf_]m_Yz [, 'fYa]b_Yha YXYzm'i_gibifgin', U'i a U gUUh]]b_j 'Ubrif"DF Dž-GC,) & 'Y i mi a 'i Xi f"GC' \$(* nU [" fY %&gUUh, U'i a U'dYf]ncXi bXU%gUUh%\$i 'U ifi m_Ya Y],]b_j 'Ubrif"

• GH5B85F H'x N9@@? @9F

8c U [Un'ia chcf
<Uj U'gc i ha U'ia chcf
9Y_hf_]a Uf 'a chcf j Y' Uf^U'YfbUht f'
6U 'UhwU_ zfi f i b'Ug]h]k_UVc'Ufi j Y'gY\Ugr'A chcfVW_Yhgi ni 'igihWgr
HY_nUu_izj Y < nU'ih'a 'gibiZi U'YfbUht f'
9bX' gh]mY' _UdUg]hYXY'gi gh fi W j Y'YgbY_ Y] _ca dYbgUht f'
9Y_hfcb]_U_ ' Uf^V\Un' fC'ha Uhl [fi d'Uf]]bE
?i 'Uba Uj Y'a cblU' _Uj i ni

• >YbYfUht f'8cbUbia 'GY, YbY_Yf]

KONTROL PANOSU
! ' Uf^Ua dYfa YhfYg]

ABG 8

Motor : Briggs&Stratton
Alternatör : Mecc Alte
Kontrol Sistemi : P 70

8c U[Un'6 Uçf'x nY''_Yf]

Üretici	Briggs&Stratton	
Model	Vanguard	
G]]bXf'j Y HUgUfia	2 Silindirli V Tip	
Hava Emme	8c U'9a]]	
Maksimum Standby Güç	1500 d/dk	8.0kW[HP]
Toplam Silindir Hacmi	L	0.4800
Çap ve Stroke	Çap ve Stroke	68X66
Güç Hıfı U'CUbı	9:1	
Norminal Devir	d/dk	3000
Governör Tipi	Mekanik	
MU_ih' _Yh'a]	m ³ / sa	3,3
8c U[Un'6 Uçib,	mbar	17-20
MU ' ?UdUg]Yg]	L	2
Emilen Hava Debisi	m ³ /dk.	1
Egzoz Gaz Debisi	m ³ /dk.	2
9[ncn'; Un'GıW' _i i	° C	500
uYj fYnY MU'ih'Ub' -gji	kW	4
Elektrik Sistemi	12 Vdc	

Alternatör Özellikleri

Üretici	Mecc Alte	
Modeli	T/6F-160/A	
Güç	kW	8
HUgUfia	: if, Uginz& _i h d'i	
Cos fi	0,80	
: Un'GU'ingi	3	
Voltaaj	V	400/230
5_ia	A	10
-gji' M_gY'a Yg]	H	1
MU'ih' GibiZ	H	


6cmi hj Y'5 if'i_

5, i_ ; fi d	? i fi '5 if'i_	Boy	En	Yükseklik
	kg.	mm.	mm.	mm.
	110	880	620	690
Kabinli Grup	? i fi '5 if'i_	Boy	En	Yükseklik
	kg.	mm.	mm.	mm.
AKS 17	205	1450	680	780

ABG 8

Motor : Briggs&Stratton
Alternatör : Mecc Alte
Kontrol Sistemi : P 70

P 70 - Kontrol Sistemi



- 1 5 finU'U'Ufa '@98 fYf]
- 2 uÜ' a U' Y_]gY, a Y'Vi tcb'Üfi
- 3 Durum Led'leri

Cihazlar

8G9ža cXY'+\$('ctca UH_ ' YVY_Y'UfinU]n'Ya Y'j Y'YbYfUf f'_cbfrc''a cX''
J c'ha YfYZ\$!) \$\$'J UVZ'+&I '+&a a
5a dYfa YfYZ+&I '+&a a
uÜ' a U'nUa Ub'gUUhž
9'Y_fcb'_5_' ' Uf^V\Uniz) 5ž&&\$&(\$ j c'h
5W' ghd'Vi tcbi 'j Y'V&bfc''XYj fY'Yf]] b'g] c'fU'Uf
YVY_Y'j Y'>YbYfUf f'fUbgZf'_cbU_h' fYfž'UfU'UfibXU'Y'Y_h'gY''_]n'Ya Y'j Y'm_'Yfa]bU'Yf]

MJdi'j Y'6cmU

7] \Un'Uf, Y_] 'gUW\Ub]a U'YX]a] 'dUbc'_UV]b]bY'a cbU'^müdi'if' DÜbc'gUW'Zc'gZUh_]a mUgU'i']Y'_Ud'UbFU_'gUWm' nYm]
_cfcnc'buX]fYb,] \U'Y' [Yhf]f' Dc'nYgYfV]Y]_hcn'VcnU] Y'Zfib'Ua U']'Ya]]Y'dUbc'_UV]b]bY'gcb'XYfYV' XUUnübi'_i
VcnU'müdi'if?']h] Y'a YbYf' Y']dUbc'_Udu_'i']Y'V\Un'UfU'i 'U'a U'_c'UnXif'

Montaj

?cbfrc''dUbcgi ž'YbYfUf f' [fi Vi XU'U'nfij Y'Xi j UfU'a cbU'^müdi'UWU_'hdXYX]f''?cbfrc''_UV'c'Ufi'YbYfUf f']Y'_cbfrc'
dUbcgi 'UfUgibXU'VU 'Ubh'Ufi'müdi'a 'i' hif'

Jeneratör Kontrol Ünitesi

, '_J 5']Y'%+_J 5' [, 'UfU' i'bxU'Xc U' [Un'mU_'ih'i'YbYfUf f' [fi d'UfibXU'8G9'+\$('_cbfrc'' b]hYg]g'U'bxU'fhc'UfU_
_j''Übi'if
; 'Un'a c'hc'fi 'YbYfUf f' [fi d'Ufibib'ctca UH_'c'UfU_', U'i h'fi'a Ugi'j Y'Xi fXi fi 'a Ugi'bi' [Yf, Y_Y' hf]f'' YVY_Y'YbYf]g]
Yg]X]]bXY'j YmU]c'U'gY]nYg]U'ifi'X' h' bXY'+\$('A cX'' ž'YbYfUf f' 'ctca UH'c'UfU_', U'i h'fi'f'j Y'm'_
YbYfUf fY'fUbgZf'YXYf'' YVY_Y'j c'U'f'bcfa U'Y'X' bX' bXY'g'g'f'Ya 'm'_ ' YVY_Y'mYfUbgZf'YX]f'''+\$('_cbfrc'
a cX'''' b'dUby]bXY', U'i a U'j Y'UfinU'Xi fi a i '@98' [" gYf[Y'Yf]]Y [" gYf]f''

'A]_fc!] 'Ya W]Y'_cbfrc'
@98' [" gYf[Y'Yf
YVY_Y'j Y'YbYfUf f' [, 'Yf]UfUgibXU'fUbgZf'_cbfrc''
>YbYfUf f'a U\U']bXY'za cX'''' b'dUby]n'Yf]bXYb'dfc[fUa 'i'XY] hfYV]a Y
6i tcb'Ufib'mYfY]a]j Y] 'Yha Y'g'g'f'Ya]_c'Um
I nU_'U'g'U'f'h
?cbfrc''h' 'Ufi. 'Ghd'# YgYh'A Ubi Y'ž'ctca UH_ž

ABG 8

Motor : Briggs&Stratton
 Alternatör : Mecc Alte
 Kontrol Sistemi : P 70

Ölçme Göstergeleri

A CHCF
 uU'i a U'gUUH

 >9B9F 5Hx F
 J c'U^f@&L
 5_ia 'f@%L

Opsiyon Özellikleri

M_gY_nU 'giWU_i 'i! Xi fXi fa U

9`Y_hfcb[_'5_'' Uf^7]\Uni

5_'' Uf^V\Uni'gk]HW]b[!a cXYj Y'GA 8 'HY_bc`c'lg]]Y'' fYf]a] X]fj Y'mi_gY_j Yf]a Y'gU\dhf"
 5_'' ZJ '!='_UfU_hYf]gh_Y f]g]bY[" fY' Uf^YX]]f'') Ua dYfz%&j c'h87 ; i_i 'j Yf]f'';]f 'j c'U^f% , '!'&*\$'j c'h57
 7]\Un; i_i 'i_gU'XYj fYnY'_Uf 'i_cfi ba i 'hi f"
 %&\$) ' Uf^V\Uniz']bYYf' Uf^V\Un'UfibU[" fY'XU'Uj Yf]a 'izi ni b" a 'f' zUfinU'cfUbi'XU'U'X' ' _z\UzZ] Y'igi'mUna Ugi', c_
 X' ' _h'f'HYfg'_i hi d'VU 'UhgibU'_Uf 'i_cfi ba i 'hi f
 Uf^UfinUgi', i_i 'i'a Yj W'hi f

Koruma Devreleri

? 5N
 5_'' Uf^UfinUgi

 8I F 8I FA 5'5@5FA @5F =
 G'UfhUfinUgi
 5V' ghcd
 8' ' _mU 'VUgibW
 8' ' _#5 'ifi \in

Standartlar

9`Y`Y_hf]gY"; 'j Yb'_#9A 7 i m] i b'i_
 6G`9B`*%\$\$\$!*&9A 7 'a i UZ'nY'highUbxUfh
 6G`9B`*%\$\$\$!*('9A 7 'Ya]gncb'ghUbxUfh

ABG 8

Motor : Briggs&Stratton
 Alternatör : Mecc Alte
 Kontrol Sistemi : P 70

AKS 17 - Kabin



y f b < U _ j b X U

5_gU^YbYfUhf f [fi d'Ufi],]b_U_i gh_ 'a \YbX]g^Yf] hUfUZbXUbzncf\Uj U'j Y', Yj fy' UfhUfibU'i nfi b [Y] Hf]Yb'gYg'ntU'ihä 'iz _cfi a U_ UV]b^Yf]/XYU'gYg'gYj]mYg]j Y_cfi a U'gU 'UmUW_ ' Y_]XY' hUgUf'Ubif'Uf', _J 5'! &+) _J 5' [', 'UfU'i ibXU'YbYfUhf f [fi d'Ufi],]b'a cX' Yfz'gYg'ntU'ihä 'UV]b^Yf]zU, i_ [fi d' nYf]bY'Xc' fi XUb []nX]fa Y'ntU'di'UV]a Y_HYX]f''? UV]b^Yfz [fi VU_c'Um gYfj]g'j Y'VU_ia 'ntUdUV]a Y'j Y', U'i h' i' nYfXY'dUf, U'XY]]a]bY'c'UbU_gU 'Uf''5nbi'nUa UbXU'YbYfUhf f [fi Vi bi b', Yj fy' giWU_ 'i bU [" fY'gc' i ha U'dYfZ'fa Ubgi'j Y [', ; , i_] XY' Yf]bXY '\Yf\Ub []gYj]mY'X' ' _ _ ' 'a YmXUbU [Y]hfa YmYW_ 'mUdiXU c'a UgibUX] _UhYX]YfY_ _UV]b^Yf'X]nUnb^YX]a] X]f''? UV]b^Yf]b', Yj fy'giWU_ 'i j Y'gYg'gYj]mYg]i nfi b'i i],]b'dfcU]hd hYghYf]ntU'di'Xi_kUb'gcbfU' fY]ha]ntU'di'a i' hif''

Standart Özellikler

i 8' ' _dfcZ']j Y' _Ud'Ua U'U'Ubi'Unz_ca dU_hUgUfia
 i ? UV]bz^YbYfUhf f gYhZ]Y [ncn'g]ghYa] j Y'XYdc! UgY'hY_ 'dU_Yhc'UfU_ 'gYj _YX]YWW_ ' Y_]XYZV]fV]f]b]V' h' b'YmYW_ 'j Y_c'Um a cbhU'],]b [Y] Hf]a] Hf''
 i HYa]nYa Y] 'Ya]bXYb [Y,]f]Yb', Y_] [" j XYb]b'dUf, U'Ufizdc'nYgYf'hcn'VcnUmU_ 'Ud'Ubif]j Y'Zfib'Ubif
 i 5'Yj " b'Ym]V]mU'ihä 'g' b [Yf]
 i GYfj]g'bc_hU'UfibU_ 'c'UmYf]]a
 i ? UV]b], Yf]g]bXY'Y [ncn'g]ghYa] j Y'igi'ntU'ihä i
 i _]hUfUZU [Yb] ' _Udi'Uf
 i ?]h] _Udi' nYf]bXY' YZUZdYbWfYXYb' _cb]fc' dUbcbi bi ']nYmV]a Y
 i ? UV]b]b'Xi' ibU'a cbhU' 'UV]g'hd'Vi' h'ebi
 i Gc' i ha U'ZUbi'j Y' Uf^U'HYfbUhf f' Xc_i' ba UmU_ 'Uf' i_ 'cfi ba i' h' f
 i ?]hYbYb' _Udi']Y'ntU'ihXc'i a i j Y'U_ 'nY'Yf]]a
 i UgY'j Y_ UV]b' nYf]bXY_ 'U'Xifa U'bc_hU'Ufi'j Y' Ug]XY'Z'f_]hW'd'Yf]z'5GA + \Uf],
 i GYg'ntU'ihä 'UV]b] [fi d'Ufib'gYg'hYg] &\$\$\$#(#97 mY'i nfi b'c'UfU_ 'Gni hYghUfUZbXUb^XYbYhYba Y_HYX]f''

Kabin Seri Modeli		AKS 17
En	mm.	680
Boy	mm.	1450
Yükseklik	mm.	780